

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	23103348	(@ad<="20020724" or @rlad<="20020724")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:11
S2	224279	((prototyp\$3 model\$3 templat\$3 develop\$4) with (mode configuration design\$3 form\$2 kind style version technique\$2)) same (program\$2 application\$2 routine\$2 subroutine\$2 product\$2 function\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:42
S3	164618	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:19
S4	101789	S3 and (key (common secret symmetric inherent))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:21
S6	1745	S3 and (key near3 (common secret symmetric inherent))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:21
S7	4811	S3 and (key same (common secret symmetric inherent))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:21
S8	2572	S3 and (key with (common secret symmetric inherent))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:22
S9	9829	S3 and (key with (generat\$3 mak\$3 construct\$3 produc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:30
S10	13	S9 and (713/191.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 16:28
S11	224279	((prototyp\$3 model\$3 templat\$3 develop\$4) with (mode configuration design\$3 form\$2 kind style version technique\$2)) same (program\$2 application\$2 routine\$2 subroutine\$2 product\$2 function\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:43

## EAST Search History

S12	715	S11 and (secure\$2 adj (memory storage ROM "Read-only Memory" "read only memory"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:45
S13	23103348	(@ad<="20020724" or @rlad<="20020724")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:45
S14	483	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 16:27
S15	6	("4599489" "4446519" "4458315").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 09:58
S16	592919	(mode near5 (develop\$4 administrator (operat\$3 run\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 14:48
S17	459535	S13 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 17:01
S18	9	S17 and ((secur\$3 adj (memory storage)) with (key adj (common secret symmetric inherent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 15:31
S19	2	"20040153657".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 15:32
S20	2	"7062718".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 15:33
S21	164618	S13 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 16:29
S22	9829	S21 and (key with (generat\$3 mak\$3 construct\$3 produc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 16:29
S23	13	S22 and (713/191.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 16:29

## EAST Search History

S24	2	S23 and (secure\$2 adj (memory storage ROM "Read-only Memory" "read only memory"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/05 17:00
S25	23101970	(@ad<="20020724" or @rlad<="20020724")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:30
S26	222690	((prototyp\$3 model\$3 templat\$3 develop\$4) with (mode configuration design\$3 form\$2 kind style version technique\$2)) same (program\$2 application\$2 routine\$2 subroutine\$2 product\$2 function\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:30
S27	164401	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:30
S28	19180	S27 and (key same (generat\$3 mak\$3 construct\$3 produc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:37
S29	182564	S26 and (different differential imcomparable inconsistent unlike unsimiliar)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:39
S30	133760	S25 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:40
S31	0	((((mode adj selection) with (key adj generat\$3)) same (install\$3 implement\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:43
S32	0	((((mode adj selection) and (key adj generat\$3)) same (install\$3 implement\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:43
S33	26892	(mode adj selection)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:43
S34	327	S33 and (key adj generat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 09:44

## EAST Search History

S35	7	S33 and (key adj generat\$3) with (implement\$3 install\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:29
S37	17	(S34 and S25) and ((program\$3 application routine\$2 subroutine\$2) adj (develop\$4 creat\$3 produc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:00
S38	791788	(mode rank style class) same (set\$3 select\$3 pick\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:07
S39	606119	S38 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:05
S40	38	S39 and 713/191.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:03
S41	246972	S39 and (development administrator product)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:06
S42	11703	((mode rank style class) same (set\$3 select\$3 pick\$3)) with (development administrator product)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:07
S43	8565	S42 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:08
S44	165	S43 and ("713"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:08
S45	5842	S43 and (install\$3 implement\$ develop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:10
S46	160	S44 and (install\$3 implement\$ develop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:20
S47	113	"administrator mode" "key generation mode" "key-generation mode" "product operation mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:34

## EAST Search History

S48	48	S47 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:21
S49	28	"key generation mode" "key-generation mode" "product operation mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:34
S50	222690	((prototyp\$3 model\$3 templat\$3 develop\$4) with (mode configuration design\$3 form\$2 kind style version technique\$2)) same (program\$2 application\$2 routine\$2 subroutine\$2 product\$2 function\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:46
S51	23101970	(@ad<="20020724" or @rlad<="20020724")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:46
S52	164401	S51 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:46
S53	9805	S52 and (key with (generat\$3 mak\$3 construct\$3 produc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 10:46
S54	13	S53 and (713/191.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 11:17
S55	2	"7024562".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 11:17
S56	486	S27 and (key adj (common secret symmetric inherent))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 11:25
S57	708	S50 and (secure\$2 adj (memory storage ROM "Read-only Memory" "read only memory"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 11:27
S58	13	S53 and (713/191.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/06 11:27

## EAST Search History

S59	280	380/281.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 10:29
S60	23105895	(@ad<="20020724" or @rlad<="20020724")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 10:28
S61	237	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 10:28
S62	590	380/45,281,284.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 10:29
S63	522	S60 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 10:30
S64	146	S63 and (seed IV "initial value" "initial vector" (initial adj (vector value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 10:31
S65	791	(key near5 (content data)) with (key adj (encrypt\$3 adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 16:42
S66	23105895	(@ad<="20020724" or @rlad<="20020724")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 16:42
S67	440	S65 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 10:26
S68	22	S67 and 380/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/08 16:43
S69	1684	(ROM "read only memory" "read-only memory" (read adj only adj memory)) with (boot adj (program\$2 routine\$2)) and (execut\$3 run\$4 activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 10:36
S70	23106415	(@ad<="20020724" or @rlad<="20020724")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 10:36

## EAST Search History

S72	822	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 10:37
S73	116	S72 and ((program\$2 application\$2 routine\$2 subroutine\$2) with ((program\$3 application routine\$2 subroutine\$2) adj (develop\$4 creat\$3 produc\$3)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 10:38
S74	24860	(encrypt\$3 with key) same (decrypt\$3 with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 16:47
S75	14821	S70 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 16:53
S76	12983	S75 and (first second master slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 16:54
S77	11010	S75 and ((first same second) (master same slave))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 16:55
S78	2866	S76 and ((program\$3 application routine\$2 subroutine\$2) adj (develop\$4 creat\$3 produc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 16:56
S79	591	380/45,281,284.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 16:56
S80	43	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 19:01
S81	9608	((one first) near2 (two second) near2 (three third) near2 (four fourth)) same (procedure\$2 step\$2 level\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 19:03
S82	7069	S81 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 19:03
S83	3	S82 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/10 19:04